



PEÁOI PÁ , PÁõgÀ  
 f~ÁCPÁj UÁÄ ª ÁVÁU f~Áe mÁqgÀ SÁ~hEÁ CCPÁj UÁÄ  
 zÁgP ÁqÀ f~É zÁgP ÁqÀ EªgÀ PÁÁiÁõ®ÁiÁÇZÁ  
 (PEÁOI PÁ , ÁªõdªPÁ , ÁUÁUÁiªª è ¥ÁgZÁE DPME ÇPÁiªªÁ 2000 gÁ  
 ª ÁÁgUª)  
 ¥Á SgÁ 2016 EÁ wAUÁÄ 4EÁ ª ÁgZÁ  
 f~Áe mÁqgÀ SÁ~hEÁ  
 , ÁapÁiª , ÁSÉ-26  
 (¥ÁE ¥ÁI PÉ gME.1-00 gÁvª)  
 .. É É gME.14-00  
 f~ÁCPÁj UÁÄ zÁgP ÁqÀ EªgÀ PÁÁiÁõ®ÁiÁZP è zÁEgÁiÁAvP E



9	<p>Registrar, Karnataka University, Dharwad : Tenders are invited from reputed Manufacturing Companies / Authorized dealers for the supply &amp; Installation of Desktop Computers (Desktop Computers for the office use) ಪಾಜಿ ವಾ E-ಫೇಬ್ರಿಕೇಷನ್ ಬಗ್ಗೆ 1 ಪರಿಶೀಲನಾ ಸಾಧನಗಳಿಗೆ ಮೇಲ್ಕಂಡಿರುವಂತೆ ಒದಗಿಸುವುದು.</p>	10
10	<p>Tenders are invited from reputed Manufacturing Companies / Authorized dealers for the supply &amp; Installation of Scientific Equipments to Dr.J.L.Rathod, Principal Investigator, DBT Research Project, Department of studies in Marine Biology, Karnatak University, Dharwad - ಪಾಜಿ ವಾ E-ಫೇಬ್ರಿಕೇಷನ್ ಬಗ್ಗೆ 1 ಪರಿಶೀಲನಾ ಸಾಧನಗಳಿಗೆ ಮೇಲ್ಕಂಡಿರುವಂತೆ ಒದಗಿಸುವುದು.</p>	10
11	<p>Tenders are invited from reputed Manufacturing Companies / Authorized dealers for the supply &amp; Installation of of 70 Binocular Compound Microscopes, 05 Binocular Stereo Zoom Microscopes and 05 Trinacular Research Microscopes with image analysis of Microscopes from the Registrar, Karnataka University, Dharwad - ಪಾಜಿ ವಾ E-ಫೇಬ್ರಿಕೇಷನ್ ಬಗ್ಗೆ 1 ಪರಿಶೀಲನಾ ಸಾಧನಗಳಿಗೆ ಮೇಲ್ಕಂಡಿರುವಂತೆ ಒದಗಿಸುವುದು.</p>	11
12	<p>ಪರಿಶೀಲನಾ ಸಾಧನಗಳಿಗೆ ಮೇಲ್ಕಂಡಿರುವಂತೆ ಒದಗಿಸುವುದು. ಪಾಜಿ ವಾ E-ಫೇಬ್ರಿಕೇಷನ್ ಬಗ್ಗೆ 1 ಪರಿಶೀಲನಾ ಸಾಧನಗಳಿಗೆ ಮೇಲ್ಕಂಡಿರುವಂತೆ ಒದಗಿಸುವುದು.</p>	11
13	<p>ಪರಿಶೀಲನಾ ಸಾಧನಗಳಿಗೆ ಮೇಲ್ಕಂಡಿರುವಂತೆ ಒದಗಿಸುವುದು. ಪಾಜಿ ವಾ E-ಫೇಬ್ರಿಕೇಷನ್ ಬಗ್ಗೆ 1 ಪರಿಶೀಲನಾ ಸಾಧನಗಳಿಗೆ ಮೇಲ್ಕಂಡಿರುವಂತೆ ಒದಗಿಸುವುದು.</p>	11
14	<p>ಪರಿಶೀಲನಾ ಸಾಧನಗಳಿಗೆ ಮೇಲ್ಕಂಡಿರುವಂತೆ ಒದಗಿಸುವುದು. ಪಾಜಿ ವಾ E-ಫೇಬ್ರಿಕೇಷನ್ ಬಗ್ಗೆ 1 ಪರಿಶೀಲನಾ ಸಾಧನಗಳಿಗೆ ಮೇಲ್ಕಂಡಿರುವಂತೆ ಒದಗಿಸುವುದು.</p>	12
15	<p>ಪರಿಶೀಲನಾ ಸಾಧನಗಳಿಗೆ ಮೇಲ್ಕಂಡಿರುವಂತೆ ಒದಗಿಸುವುದು. ಪಾಜಿ ವಾ E-ಫೇಬ್ರಿಕೇಷನ್ ಬಗ್ಗೆ 1 ಪರಿಶೀಲನಾ ಸಾಧನಗಳಿಗೆ ಮೇಲ್ಕಂಡಿರುವಂತೆ ಒದಗಿಸುವುದು.</p>	12
16	<p>ಪರಿಶೀಲನಾ ಸಾಧನಗಳಿಗೆ ಮೇಲ್ಕಂಡಿರುವಂತೆ ಒದಗಿಸುವುದು. ಪಾಜಿ ವಾ E-ಫೇಬ್ರಿಕೇಷನ್ ಬಗ್ಗೆ 1 ಪರಿಶೀಲನಾ ಸಾಧನಗಳಿಗೆ ಮೇಲ್ಕಂಡಿರುವಂತೆ ಒದಗಿಸುವುದು.</p>	12-13

<p>17</p>	<p>°ASZi-zAgP AqA °A°AEUjA ¥A° PUE PEAOT PA PAögA 2015-16EA °A° EA DATA-          °AiA °Áút ZÁ RARPE-338gP è WÉÁ¶¶1gA°Á PÁUe°ME° KEVÀ C°P°ICi PÁAiAÖ          ZÁ Á°hPÉ UjUAV °ArgA°A gME. 100.00 PKEAn CEAZAEZA CAZAdA °KEVPE          CEÁ°KEAZEE °ArgA°A QAGÁ AiKEAdEE ¥hUÉ PEJA. 1977 gA °AiA°Á°MÁiÁVÉ          EUjA ¥A° PÁiA °Á° PÁAiAÖPÁ Á¥UjA è DqMvAvPA CEÁ°KEAZEE °ArgA°A          CAZAdA °KEVZA ¥ÁPÁUjA PÁUj UjUÉ NKUSIP CEÁ°KEAZEE AiA° è          Restoration of roads PA°AUj UjA, °AUKE ¥A° PE CEAZAEZA PA°AUj UjUÉ          °KEAPE¥AiKEÁV E°ÁŠ¶ 1 qSÁar/ gA¶MAiA °EZAJ °AUKE °A°AEUjA          ¥A° PÁiA° è EEÁAZÁ-ÁVÁ UÁWUÉÁGj AZÁ EI A°ÁGÁ E-¥EPEgP ÁAmi °ME°PA          mAqjUjAEB D°Á¶ ÁÁVZÉ EAqÁI EA-46026, gME.100.00°PÁ (6 wAUjA).          EAqÁI EA-46046, gME.100.00 °PÁ (6 wAUjA). EAqÁI EA-46054,          gME.100.00 °PÁ (6 wAUjA). EAqÁI EA-43311, gME.100.00 °PÁ (6 wAUjA).          EAqÁI EA-43307, gME.100.00°PÁ (6 wAUjA). EAqÁI EA-46018,          gME.24.44 °PÁ (4 wAUjA). EAqÁI EA-46013, gME.30.00 °PÁ (4 wAUjA).          EAqÁI EA-46040, gME.9.67°PÁ (3 wAUjA). EAqÁI EA-42249,          gME.49.00°PÁ (4 wAUjA). 100 PKEAn CEAZAEZA 20 (5 ¥ÁPAd) PA°AUj UjA,          NKUSIP CEAZAEZA 2 PA°AUj UjA °AUKE 2 ¥A° PE CEAZAEZA AiA PA°AUj ,          MI ÁÖ24 PA°AUj UjUÉ E-mÁqjA Ccú KEZEE °Egr 1gÁVÁgÉ</p>	<p>13-14</p>
<p>18</p>	<p>PWD/ CPWD/ HDMC/ EvjA PAöj E°ÁSAiA° è EEAZA-ÁVjAZÁ 1EA ZEB          UÁWUÉÁGj E-¥EPEgP ÁAI ¥EÁI Ö°i °ÁSAAvjA 2015-16EA °A° EA          PÁUe°ME° KEVÀ C°P°ICi PÁAiAÖ ZÁ Á°hPUAV gME. 100.00 PKEAn          CEÁ°KEAZEE AiA° è EAqÁmi EA.45935, 46043, 45939, 45936, 46010, 45938          MI ÁÖ6 ¥ÁPÁei PÁ°AUj UjA PÁj VÁ E-mÁqjA Ccú KEZEE °Egr 1gÁVÁgÉ</p>	<p>14</p>
<p>19</p>	<p>DATAPIjA, °ASZi-zAgP AqA EUjA C°P°ICi ¥ÁPÁgA °ASZi :          °KEAPE¥AiKEÁV E°ÁSAiA° è EEAZA-ÁVjAZÁ C°D 1«°i UÁWUÉÁGj AZÁ E-          ¥EPEgP ÁAI °ÁSAAvjA MI ÁÖ03 ««ZÁ PÁ°AUj UjA PÁj VÁ C°ÁP°Cú mAqjA          ¥EÁ uÉ °Egr 1gÁVÁgÉ</p>	<p>15</p>
<p>20</p>	<p>°PÁ AUjPA °ZÁÖ±PjA, PEAOT PA PE°AU C°P°ICi °UP°A °AiA«AVÁ °ASZi :          ¥ÁQAUi °Ánj AiA°i VÁiÁGPA j AZÁ C°P°MA «VbPj AZÁ °ÁEGÁ wAUjA C°ÁUÉ          ««ZÁ EPÁEEAiA ¥ÁQAUi °Ánj AiA°i jSgÁFUAV E-¥EPEgP ÁAmi ¥ÁÁmi          ¥ÁGÁ °ME°PA ¥ÁQAUi °Ánj AiA°i jSgÁFUÉ C°ÁP°Cú E-mÁqjA ¥EÁ uÉ          °Egr 1gÁVÁgÉ</p>	<p>15</p>
<p>21</p>	<p>PAAiAÖ°A°OPA EAF°AAiAgjA, °KEAPE¥AiKEÁV, SAZjA °AVUjM/EAqA d°          Áj UÉ E°ÁŠ¶ zÁgP AqA «°ÁUÁ zÁgP AqA :          EEÁAZÁ-ÁVÁ C°D UÁWUÉÁGj AZÁ E-¥EPEgP ÁAI °ÁSAAvjA °PA ZÁ¶ÖPE          4059 EÁÁiÁ°AiA PA QjUjA Cr Package of 1: 1)Construction of internal          concrete road, 2) Providing landscaping in the premises New Court Complex          Building.3) Providing False ceiling to court halls in Judges cambers corridors          office rooms wall paneling in Court hall Judges cambers and Providing capsule          Lifts 4) Providing fire protection works 5) Providing and installation of DG set          and UPS 6) Providing and installation of CCTV and Access control system 7)          Providing and installation of Lighting management system(LMS) 8) Providing          and installation of Building management system(BMS) 9) Providing and          installation of Heating vetilation air conditioning(HVAC)to the new court complex          building at HUBBALLI KPWD/2016-17/ BD/WORK_INDENT59919 – PA°AUj          PÁj VÁ E-¥EPEgP ÁAI mAqjA ¥EÁ uÉ °Egr 1gÁVÁgÉ</p>	<p>15-16</p>



30	<p>«ААСАЦПАЈ, ҶА ҲЕ ҶАЗААИВА ПИВВА V :      -ҶЕАҶЕАҶАИҶЕАВ E-АААИА° ҲЕҶЕААЗА-АВА С°Д 3ЕА аАВУ 4ЕА зЕД 1«-и      / E-ДПА и УАВУЗАГЈ АЗА Ј, ИҶҶҶҶҶҶ 2016-17 (7.25 ±АРҚА) Cr 01 ПААУАЈ      °АУКЕ Ј, ИҶҶҶҶҶҶ 2016-17 (24.10 ±АРҚА) Cr 07 ПААУАЈ »АУЕ МИ АО 08      ««ЗА ПААУАЈ УАА ПАЈ ВА МАҚБА ҶББ уЕ °КЕГҶҶҶҶҶҶҶҶ</p>	19
31	<p>Ҷ-Ае аАРИА ГРЛУА ЦПАЈ УМА, Ҷ-Ае аАРИА ГРЛУА ВА ПА ЗАГҶАҚА:      ЕҶЕААЗА-А1ЗА аААЕРА АҶЕҶЕҶ° А, ВКД аАИАҶ АЗА E-ҶЕБЕҶҶҶҶҶҶҶҶҶҶҶҶҶҶ      ГҶ, А±ЕИ аААР1ЗА аААЕРА АҶЕҶЕҶ° А, ВКД аАИАҶ АЗА (1) Ҷ-Ае аАРИА      ГРЛУА ВА ПА ЗАГҶАҚА ПБАЈ УЕ °АУКЕ С°АЕ°и (Ҷ), 2±АУБ°А °АШУЕ аААЕРА      АҶЕҶЕҶ° А аАИАЕАВ МЗВ ААА ПАЈ ВА (ҶББ ат 20 дЕ) °АУКЕ (2) ПАОЈ      «АРИА°АИА °АУКЕ А° аААЦГУУУЕ аААЕРА АҶЕҶЕҶ° А аАИАЕАВ МЗВ ААА      ПАЈ ВА (ҶББ ат 14 дЕ) E-ҶЕБЕҶҶҶҶҶҶҶҶҶҶҶҶҶҶ аАЕ°ПА МАҚБА ҶББ уЕ      °КЕГҶҶҶҶҶҶҶҶҶҶҶҶҶҶ</p>	19
32	<p>ҶРААИПА аЗАД±ПҶА, ПЕИҚА аАВУ А, ИВ E-АСҶ ЗАГҶАҚА:      2016-17ЕА А°ЕР ҲЕҶЕҶЕГА ЗАГҶА ҶББ авб аААДТ аААҚПА ЗАГҶАҚА      Ҷ-Ае ҶАЗААИВА ҶББ АВ Ҷ-АИА АҶВААИА ПЕЗЕАИА АИҶЕАЗҶА, ПЕАОИ ПА      ±ЕРҶЕРА ПАЗЕ («ЗАПА2) СЕА°К Ҷ-АИА аЕ«ЗМАИАЕАВ АҶАА ҶББ авб      аААДТПАВ ССРВ ПҶА«ЗҶА/СЕА°К аААДТ А, АИАҶ АЗА аАЕ, МЕГА      ЗАГҶА ҶББ авб аААДТПАВ С-АРА КИ МАҚБА ҶББ уЕ °КЕГҶҶҶҶҶҶҶҶҶҶҶҶҶҶ</p>	19



f` Ae DgkEUAU a AVAU PAI AAS PA Aat C CPAJ UKA/GYAZPJA, f` Ae DgkEUAU a AVAU PAI AAS PA Aat AWA zAgP Aqa f` e					
2	P: FDPAPA C «/50/2016-17, C EAPA 19-09-2016	-	18-10-16 Ae f 5-00 gP gUe	5.90 @PA	EKEAZA-AVA C O D A, B UKAZIYAVa aAE® vAIAgPJA/C CPAVA Yba C UKA/ C CPAVA «vGPI AZA f` Ae DgkEUAU a AVAU PA. PAC CPAJ UKA zAgP Aqa 2016-17 EA A° UE zAgP Aqa f` Ae a Aa; IAIA° e ±A`A a APWUE Gava PEIqPUKEAB GSGada a IAqPA E-DqkzvzEIAI E- mAqba YBa uf ° Egr` 1 gAVAgE F PAJ VA ° bIEA a IA» wAIIEAB ASACU ZA PZAJ -AAZA YbAIAIS° AZAVze
mAqba PJAIAA a C CPAJ UKA : f` Ae DgkEUAU a AVAU PAI AAS PA Aat C CPAJ UKA/GYAZPJA, f` Ae DgkEUAU a AVAU PAI AAS PA Aat AWA zAgP Aqa f` e					
Estate Officer, University of Agricultural Science, Dharwad					
3	No.EO/DB/TN/e-Pro.90A/ 997/2016-17, Date 19-09-2016	-	26-09-16 Ae f 4-00 gP gUe	-	Dharwad Campus (1) Supplying, Installation and commissioning of E- Lactern Podium to conference hall of VC's office at UAS Dharwad Campus (IInd Call) (2) Supplying, Installation and Commissioning of Conference audio system to conference hall of VC's office at UAS Dharwad Campus (IInd Call) PA AUAJ PAJ VA C` AP CU mAqba YBa uf ° Egr` 1 gAVAgE F PAJ VA ° bIEA a IA» wAIIEAB ASACU ZA PZAJ -AAZA YbAIAIS° AZAVze
mAqba PJAIAA a C CPAJ UKA : Estate Officer, University of Agricultural Science, Dharwad					
Executive Engineer, KNNL, Shiggaon Lift Irrigation Division, Dharwad					
4	No.EE/KNN/SLID/DWD/PB-1/ E-Tender/Bennihalla/SDMF/ 2016-17/1073, Date 19-09-2016	-	01-10-16 Ae f 4-00 gP gUe	498.16 @PA	Works under Head of A/c - SDMF (Bennihalla) Cr River training works for Bennihalla including regrading, restoring the section, providing protection and strengthening of bunds from Kubihala to Yerinarayanapur of Kundgol Taluk . (From Ch 33.00 KM to 60.00 KM) PA AUAJ PAJ VA E- YEBEgP IAIA a ASAAvba C` AP CU mAqba YBa uf ° Egr` 1 gAVAgE F PAJ VA ° bIEA a IA» wAIIEAB ASACU ZA PZAJ -AAZA YbAIAIS° AZAVze
mAqba PJAIAA a C CPAJ UKA : Executive Engineer, KNNL, Shiggaon Lift Irrigation Division, Dharwad					



Executive Engineer, KNNL, MRBCC Dn.No.3, Byahatti					
5	No.KNNL/MRBCC-3/AE-1/ SCP/TND/2016-17/1137, Date 17-09-2016	-	-	-	Executive Engineer, KNNL, MRBCC Dn.No.3, Byahatti E <sup>a</sup> g <sup>a</sup> m <sup>a</sup> q <sup>a</sup> g <sup>a</sup> ¥ <sup>a</sup> u <sup>a</sup> í <sup>a</sup> S <sup>a</sup> i <sup>a</sup> 1066, Ç <sup>a</sup> APA 06-09-2016 <sup>a</sup> Av <sup>a</sup> U Time Extension Notification No.1083 Ç <sup>a</sup> APA 08-09-2016 E <sup>a</sup> z <sup>a</sup> P <sup>a</sup> U <sup>a</sup> M <sup>a</sup> E <sup>a</sup> B (E <sup>a</sup> q <sup>a</sup> Ami E <sup>a</sup> .20221 & 20225) <sup>a</sup> AAz <sup>a</sup> Er <sup>a</sup> z <sup>a</sup> P <sup>a</sup> j v <sup>a</sup> E-¥ <sup>a</sup> E <sup>a</sup> g <sup>a</sup> P <sup>a</sup> AI <sup>a</sup> ASAAv <sup>a</sup> g <sup>a</sup> Time Extension Notification °E <sup>a</sup> g <sup>a</sup> í <sup>a</sup> g <sup>a</sup> v <sup>a</sup> g <sup>a</sup> í <sup>a</sup> F P <sup>a</sup> j v <sup>a</sup> °E <sup>a</sup> EA <sup>a</sup> AA»w <sup>a</sup> AI <sup>a</sup> E <sup>a</sup> B S <sup>a</sup> Ç <sup>a</sup> í <sup>a</sup> z <sup>a</sup> P <sup>a</sup> z <sup>a</sup> j -AAz <sup>a</sup> ¥ <sup>a</sup> q <sup>a</sup> i <sup>a</sup> S <sup>a</sup> °Az <sup>a</sup> v <sup>a</sup> z <sup>a</sup> í <sup>a</sup>
m <sup>a</sup> q <sup>a</sup> g <sup>a</sup> P <sup>a</sup> g <sup>a</sup> AI <sup>a</sup> °A <sup>a</sup> Ç <sup>a</sup> P <sup>a</sup> j U <sup>a</sup> MA :			Executive Engineer, KNNL, MRBCC Dn.No.3, Byahatti		
PAAI <sup>a</sup> í <sup>a</sup> ° <sup>a</sup> ° <sup>a</sup> PI E <sup>a</sup> d <sup>a</sup> AAI <sup>a</sup> g <sup>a</sup> g <sup>a</sup> , ¥ <sup>a</sup> Az <sup>a</sup> AI <sup>a</sup> v <sup>a</sup> g <sup>a</sup> e <sup>a</sup> í <sup>a</sup> E <sup>a</sup> AF <sup>a</sup> AAI <sup>a</sup> j AU <sup>a</sup> < AU <sup>a</sup> z <sup>a</sup> g <sup>a</sup> P <sup>a</sup> q <sup>a</sup>					
6	E <sup>a</sup> .¥ <sup>a</sup> g <sup>a</sup> AE <sup>a</sup> «z <sup>a</sup> /Q.EA.2/ NABARD-22/2016-17/2306, Ç <sup>a</sup> APA 19-09-2016	-	06-10-16 Ae <sup>a</sup> í <sup>a</sup> 4-00 g <sup>a</sup> P <sup>a</sup> g <sup>a</sup> U <sup>a</sup> í <sup>a</sup>	2,07,14,328/-	L.Dg <sup>a</sup> .r.¥ <sup>a</sup> í <sup>a</sup> .E <sup>a</sup> Aq <sup>a</sup> í <sup>a</sup> -22 P <sup>a</sup> z <sup>a</sup> A <sup>a</sup> í <sup>a</sup> í <sup>a</sup> r <sup>a</sup> AI <sup>a</sup> MI AO 04 «z <sup>a</sup> P <sup>a</sup> °AU <sup>a</sup> j U <sup>a</sup> M <sup>a</sup> E <sup>a</sup> B E- ¥ <sup>a</sup> E <sup>a</sup> g <sup>a</sup> P <sup>a</sup> AI °U <sup>a</sup> ç <sup>a</sup> v <sup>a</sup> E <sup>a</sup> P <sup>a</sup> AE <sup>a</sup> E <sup>a</sup> AI <sup>a</sup> °è ¥ <sup>a</sup> .g <sup>a</sup> .E <sup>a</sup> .E <sup>a</sup> °ASA <sup>a</sup> í <sup>a</sup> °è E <sup>a</sup> E <sup>a</sup> AAz <sup>a</sup> -A <sup>a</sup> .P <sup>a</sup> ng <sup>a</sup> °A C <sup>a</sup> °í <sup>a</sup> 1EA <sup>a</sup> Av <sup>a</sup> U 2EA z <sup>a</sup> í <sup>a</sup> U <sup>a</sup> w <sup>a</sup> U <sup>a</sup> z <sup>a</sup> Ag <sup>a</sup> í <sup>a</sup> Az <sup>a</sup> E- ¥ <sup>a</sup> E <sup>a</sup> g <sup>a</sup> P <sup>a</sup> AI <sup>a</sup> <sup>a</sup> ASAAv <sup>a</sup> g <sup>a</sup> m <sup>a</sup> q <sup>a</sup> g <sup>a</sup> ¥ <sup>a</sup> u <sup>a</sup> í <sup>a</sup> 12/2016-17 E <sup>a</sup> B °E <sup>a</sup> g <sup>a</sup> í <sup>a</sup> g <sup>a</sup> v <sup>a</sup> g <sup>a</sup> í <sup>a</sup> F P <sup>a</sup> j v <sup>a</sup> °E <sup>a</sup> EA <sup>a</sup> AA»w <sup>a</sup> AI <sup>a</sup> E <sup>a</sup> B S <sup>a</sup> Ç <sup>a</sup> í <sup>a</sup> z <sup>a</sup> P <sup>a</sup> z <sup>a</sup> j -AAz <sup>a</sup> ¥ <sup>a</sup> q <sup>a</sup> i <sup>a</sup> S <sup>a</sup> °Az <sup>a</sup> v <sup>a</sup> z <sup>a</sup> í <sup>a</sup>
7	P.¥ <sup>a</sup> g <sup>a</sup> AE <sup>a</sup> «z <sup>a</sup> /Q.EA.2/ 3054 Lumpsum/2016-17/2329, Ç <sup>a</sup> APA 20-09-2016	-	07-10-16 Ae <sup>a</sup> í <sup>a</sup> 4-00 g <sup>a</sup> P <sup>a</sup> g <sup>a</sup> U <sup>a</sup> í <sup>a</sup>	1,01,65,899/-	3054 °A¥ <sup>a</sup> .P <sup>a</sup> í <sup>a</sup> P <sup>a</sup> z <sup>a</sup> A <sup>a</sup> í <sup>a</sup> í <sup>a</sup> r <sup>a</sup> AI <sup>a</sup> AI <sup>a</sup> í <sup>a</sup> r <sup>a</sup> AI <sup>a</sup> P <sup>a</sup> °AU <sup>a</sup> j U <sup>a</sup> M <sup>a</sup> E <sup>a</sup> B E- ¥ <sup>a</sup> E <sup>a</sup> g <sup>a</sup> P <sup>a</sup> AI <sup>a</sup> ASAAv <sup>a</sup> g <sup>a</sup> °U <sup>a</sup> ç <sup>a</sup> v <sup>a</sup> E <sup>a</sup> P <sup>a</sup> AE <sup>a</sup> E <sup>a</sup> AI <sup>a</sup> °è ¥ <sup>a</sup> .g <sup>a</sup> .E <sup>a</sup> .E <sup>a</sup> E <sup>a</sup> °ASA <sup>a</sup> í <sup>a</sup> °è E <sup>a</sup> E <sup>a</sup> AAz <sup>a</sup> -A <sup>a</sup> .P <sup>a</sup> ng <sup>a</sup> °A C <sup>a</sup> °í <sup>a</sup> 1EA <sup>a</sup> Av <sup>a</sup> U 2EA z <sup>a</sup> í <sup>a</sup> U <sup>a</sup> w <sup>a</sup> U <sup>a</sup> z <sup>a</sup> Ag <sup>a</sup> í <sup>a</sup> Az <sup>a</sup> MI AO 03 «z <sup>a</sup> P <sup>a</sup> °AU <sup>a</sup> j U <sup>a</sup> MA P <sup>a</sup> j v <sup>a</sup> E- ¥ <sup>a</sup> E <sup>a</sup> g <sup>a</sup> P <sup>a</sup> AI <sup>a</sup> ASAAv <sup>a</sup> g <sup>a</sup> m <sup>a</sup> q <sup>a</sup> g <sup>a</sup> ¥ <sup>a</sup> u <sup>a</sup> í <sup>a</sup> 13/ 2016-17 E <sup>a</sup> B °E <sup>a</sup> g <sup>a</sup> í <sup>a</sup> g <sup>a</sup> v <sup>a</sup> g <sup>a</sup> í <sup>a</sup> F P <sup>a</sup> j v <sup>a</sup> °E <sup>a</sup> EA <sup>a</sup> AA»w <sup>a</sup> AI <sup>a</sup> E <sup>a</sup> B S <sup>a</sup> Ç <sup>a</sup> í <sup>a</sup> z <sup>a</sup> P <sup>a</sup> z <sup>a</sup> j -AAz <sup>a</sup> ¥ <sup>a</sup> q <sup>a</sup> i <sup>a</sup> S <sup>a</sup> °Az <sup>a</sup> v <sup>a</sup> z <sup>a</sup> í <sup>a</sup>

8	P. : ¥AgAEA«ZAVVA±A-4/ MLA/SOCIAL WF/MUJRAI/ MADB/2016-17/2342, C EÁAPÁ 21-09-2016	-	24-10-16 Aef 4-00 gP gUÉ	97,83,000/-	««ZÁ PA ²A¶ÓPUMÁ E- ¥EPEEgP BAmi a AASAAvGÁ UcVA EP AEEAIA° è EKEAAZA -A, PngAªA C°D 3EA zleD o AWE a BA@i AO UawUzAgj AZA Ei 2014-15 EA A° EA PÁAd PÁ Áat E-ÁSe Cr MI AO 12 ««ZÁ PAªAUaj UKA Páj vÁ (EAqÁmi EA SgÁ 48542, 48660, 48550, 48578, 47699, 47427, 48584, 48580, 48841, 48786, 48788, 48839) E-¥EPEEgP BAI a AASAAvGÁ mAqGÁ ¥De uÉ-14/2016-17 EAB o Egr 1gAvAgÉ F Páj vÁ o EA EA a AA»wAIAEAB AŞAÇi ZA PZAJ -AAZA ¥bÁiAS°AzAVzÉ
mAqGÁ PÁiAªªA CÇPAj UKA :PAATAOªªAOªPA EAdªAAIAgGA, ¥AZAAIvÁ gAei EATªAAIAj AUA «ªAUA zAgP Aq					
Registrar, Karnataka University, Dharwad					
9	No.KU/PMEB/RUSA/KMJ/ 2016-17/93, Date 21-09-2016	-	06-10-16 a.02-00 gP gUÉ	90.00 @PÁ	Tenders are invited from reputed Manufacturing Companies / Authorized dealers for the supply & Installation of Desktop Computers (Desktop Computers for the office use) Páj vÁ E-¥EPEEgP BAI 1. PÁi a AASAAvGÁ a AgA mAqGÁ ¥De uÉ o Egr 1gAvAgÉ F Páj vÁ o EA EA a AA»wAIAEAB AŞAÇi ZA PZAJ -AAZA ¥bÁiAS°AzAVzÉ
10	No.KUPG/DBT/KWR/ 2016-17/314, Date 16-09-2016	-	24-10-16 a.12-00 gP gUÉ	-	Tenders are invited from reputed Manufacturing Companies / Authorized dealers for the supply & Installation of Scientific Equipments to Dr.J.L.Rathod, Principal Investigator, DBT Research Project, Department of studies in Marine Biology, Karnatak University, Dharwad - Páj vÁ E-¥EPEEgP BAI 1. PÁi a AASAAvGÁ mAqGÁ ¥De uÉ o Egr 1gAvAgÉ F Páj vÁ o EA EA a AA»wAIAEAB AŞAÇi ZA PZAJ -AAZA ¥bÁiAS°AzAVzÉ

11	No.KU/PMEB/RUSA/KMJ/ 2016-17/265, Date 22-09-2016	-	13-10-16 02-00 gP gUÉ	75.00 @Pá	Tenders are invited from reputed Manufacturing Companies / Authorized dealers for the supply & Installation of of 70 Binocular Compound Microscopes, 05 Binocular Stereo Zoom Microscopes and 05 Trinacular Research Microscopes with image analysis of Microscopes from the Registrar, Karnataka University, Dharwad - PAj vA E- <del>¥EED</del> gP BAI 1, PÁi aASAAvA Tender Notification For The Supply of Microscopes mAqgA ¥Bé uí °Egr 1gAvAgÉ F PAj vA °bAa aAA»wAIAEAB ASACiZa PIZAj -AAZA ¥bAIAAS°AzAVZÉ
mAqgA PAgAIAA <sup>a</sup> A CCPAJ UMA :		Registrar, Karnataka University, Dharwad			
P AATAPI CgAtá AgPUIACPAJ UMA, zAgP Aqa G¥k AUá zAgP Aq					
12	P : IC A/zAgP AgA° gAda/ 16-17/404, CEÁAPA 20-09-2016	-	-	-	zAgP Aqa ±P gZA ««ZA SqA <sup>a</sup> LUkP è C¥AAIAPgA 1W AIA° zI aAgUkA/mFEAUÉ UMEAB (¥KEwö aAgA 09, mFEAUUkA 14, CAZAdA d <sup>-</sup> ÁÁ 27.000 Wá«ÁÁ) CEÁAPA 04-10-2016 gAZA aAZAPÁ 3-00 WAmUÉ aPAIA CgAtá CCPAJ UMA P bAj, zAgP Aqa E°è S»gAUA °gAdA PAj vA AQM° °gAdA ¥Bé uí °Egr 1gAvAgÉ F PAj vA °bAa aAA»wAIAEAB ASACiZa PIZAj -AAZA ¥bAIAAS°AzAVZÉ
mAqgA PAgAIAA <sup>a</sup> A CCPAJ UMA :		P AATAPI CgAtá AgPUIACPAJ UMA, zAgP Aqa G¥k AUá zAgP Aq			
F Ae CCPAJ UMA, »AZA½ZA <sup>a</sup> UDUkA PA AtE E ASÉ zAgP Aq					
13	P : r© 1JA/«/1Dgi-36/ 2016-17, CEÁAPA 21-09-2016	-	05-10-16 AeÉ 4-00 gP gUÉ	-	»AZA½ZA <sup>a</sup> UDUkA PA AtE E ASÉ aW-ÁAZA zAgP Aqa f <sup>-</sup> ÁIA°e «aD» f AUwAgA <sup>a</sup> aAnBé ¥KE <sup>a</sup> D/EAVgZA «zAgyö «@AIAU½UE CUMA aAE® <sup>•</sup> KEVA ÉPAIAÖUkAZA I AE mAIAIgi PÁmi gSgAdA aIAr C¼P r <sup>•</sup> ÁAZA aAvAU gSgAdA aIAqa <sup>a</sup> PAj vA C°D mAqgAZAgj AZA E-¥EEDgP ÁAmi C <sup>-</sup> ÁP kú mAqgi ¥Bé uí °Egr 1gAvAgÉ F PAj vA °bAa aAA»wAIAEAB ASACiZa PIZAj -AAZA ¥bAIAAS°AzAVZÉ
mAqgA PAgAIAA <sup>a</sup> A CCPAJ UMA :		F Ae CCPAJ UMA, »AZA½ZA <sup>a</sup> UDUkA PA AtE E ASÉ zAgP Aq			



					<p>E ASV 1; qSAb / gA10AIA          °ÉÁj °AUME °A°AEUgA          ¥A° PAIA° è EKEAZA-ÁVA          UÁWUÉÁgÁ AzÁ E-¥BEgP BAI          °ÁE°PA LI A°ÁgÁ mAqgÁ          UMEAB D°Ae, Á AVZE MI AO          PÁ°ÁUÁj UÁÁ 16 EzÁV, EAqÁI          ÉA-44412, gME.8.00°PA (3          wAUÁÁ). ÉA-44351, gME.10.00          °PA (3 wAUÁÁ). ÉA-44344,          gME.10.00°PA (3 wAUÁÁ). ÉA-          45014, gME.25.00°PA (4          wAUÁÁ). ÉA-44264, gME.11.60          °PA (3 wAUÁÁ). ÉA-45584.          gME.8.00°PA (3 wAUÁÁ) ÉA-          46179. gME.10.00°PA (3          wAUÁÁ). ÉA-46178, gME.10.00          °PA (3 wAUÁÁ). ÉA-44327,          gME.13.60 °PA (3 wAUÁÁ).          ÉA-44348. gME.5.00°PA (3          wAUÁÁ). ÉA-45583. gME5.00          °PA (3 wAUÁÁ). ÉA-45581,          gME.10.00°PA (3 wAUÁÁ). ÉA-          46177 gME.5.00°PA (3 wAUÁÁ).          ÉA-44870. gME.10.00°PA (3          wAUÁÁ) PÁ°ÁUÁj UÁWUÉ E-          mAqgÁ CqÁ KEZIEÉ °KEgr 1          gÁVÁgÉ F PÁj vÁ °BAEA          °ÁA»wAIAEAB ÁSACÍZÁ          PIZÁj -ÁAZÁ ¥ÁqÁiÁ°ÁzÁVZÉ</p>
17	<p>P: JZirJA 1761705/16-17,          CEÁAPÁ 23-09-2016,          eÁ»gÁVÁ ÁSÁ 65          CEÁAPÁ 22-09-2016</p>	-	<p>03-11-16          ÁeÉ 4-00          gPÁgUÉ</p>	613.11 °PA	<p>°ÁSÁZ-ÁgPÁqA °A°AEUgA          ¥A° PÁE PEÁÖI PÁ PÁÖgÁ 2015-16          ÉÁ Á° ÉÁ DAIA-°ÁIA ÁÁÁÁZÁ          RARPE-338gP è WÁEÁÁ 1gÁ°Á          ÁÁUÁE °ÁE°ÁEVA C°PÁÁÁ          PÁÁIÁÖ ZÁ ÁÁÁÁPE UÁWUÁV          ÁÁrgÁ°Á gME. 100.00 PÁEÁn          CEÁZÁEÁZÁ CAZÁDÁ °ÁEVIPE          CEÁ°ÁEÁZIEÉ ÁÁrgÁ°Á ÖÁÁÁ          ÁIÁEÁDEÉ ¥ÁÁUÉ PÉJA. 1 1977 gÁ          ÁÁÁ°ÁÁ°ÁÁÁÁVÉ EÁgÁ ¥A° PÁIA          Á°Á PÁÁIÁÖPÁ ÁÁÁÁÁÁ è DqÁÁVÁVPA          CEÁ°ÁEÁZIEÉ ÁÁrgÁ°Á CAZÁDÁ          °ÁEVIÁÁ ¥ÁÁPEÁUÁÁ PÁUÁj UÁWUÉ          NKUSIP CEÁZÁEÁZÁ-ÁIA° è          Restoration of roads PÁ°ÁUÁj UÁÁ,          °AUME ¥A° PÉ CEÁZÁEÁZÁ</p>

					<p>PA<sup>a</sup>NUAJ UM<sub>2</sub>UE<sup>e</sup> KEAPEYATIEAV          E-AS/ 1; qS<sup>a</sup>Ar/ gAT<sup>a</sup>AI<sup>a</sup>          oZ<sup>a</sup>ij oAUME<sup>a</sup> a<sup>a</sup>oAEU<sup>a</sup>g<sup>a</sup>          YA<sup>a</sup>PA<sup>a</sup>i<sup>a</sup>o<sup>e</sup> EKEAZA-AVA          UAWUEZAG<sup>a</sup> Az<sup>a</sup> EI A<sup>a</sup>AG<sup>a</sup> E-          YBE<sup>a</sup>g<sup>a</sup>PA<sup>a</sup>mi<sup>a</sup> a<sup>a</sup>AE<sup>a</sup>PA<sup>a</sup>          mAq<sup>a</sup>g<sup>a</sup>UM<sup>a</sup>EB<sup>a</sup> D<sup>a</sup>oA<sup>a</sup> AVZE<sup>a</sup>          EAq<sup>a</sup>AI EA-46026,          g<sup>a</sup>ME.100.00<sup>a</sup>PA<sup>a</sup> (6 wAUM<sup>a</sup>KA).          EAq<sup>a</sup>AI EA-46046, g<sup>a</sup>ME.100.00  <sup>a</sup>PA<sup>a</sup> (6 wAUM<sup>a</sup>KA). EAq<sup>a</sup>AI EA-          46054, g<sup>a</sup>ME.100.00<sup>a</sup>PA<sup>a</sup> (6          wAUM<sup>a</sup>KA). EAq<sup>a</sup>AI EA-43311,          g<sup>a</sup>ME.100.00<sup>a</sup>PA<sup>a</sup> (6 wAUM<sup>a</sup>KA).          EAq<sup>a</sup>AI EA-43307, g<sup>a</sup>ME.100.00  <sup>a</sup>PA<sup>a</sup> (6 wAUM<sup>a</sup>KA). EAq<sup>a</sup>AI EA-          46018, g<sup>a</sup>ME.24.44<sup>a</sup>PA<sup>a</sup> (4          wAUM<sup>a</sup>KA). EAq<sup>a</sup>AI EA-46013,          g<sup>a</sup>ME.30.00<sup>a</sup>PA<sup>a</sup> (4 wAUM<sup>a</sup>KA).          EAq<sup>a</sup>AI EA-46040, g<sup>a</sup>ME.9.67<sup>a</sup>PA<sup>a</sup>          (3 wAUM<sup>a</sup>KA). EAq<sup>a</sup>AI EA-42249,          g<sup>a</sup>ME.49.00<sup>a</sup>PA<sup>a</sup> (4 wAUM<sup>a</sup>KA). 100          P<sup>a</sup>EA<sup>a</sup>n CEAZAEZA 20          (5 YA<sup>a</sup>PA<sup>a</sup>d) PA<sup>a</sup>NUAJ UMA,          NKUSIP CEAZAEZA 2          PA<sup>a</sup>NUAJ UMA oAUME 2 YA<sup>a</sup>PE          CEAZAEZA-AIA PA<sup>a</sup>NUAJ, MI AO          24 PA<sup>a</sup>NUAJ UM<sub>2</sub>UE<sup>e</sup> E-mAq<sup>a</sup>g<sup>a</sup>          CC<sup>a</sup>MEZE<sup>a</sup>E<sup>a</sup> oEg<sup>a</sup>g<sup>a</sup>g<sup>a</sup>vA<sup>a</sup>g<sup>a</sup>e<sup>a</sup> F          PA<sup>a</sup>jvA<sup>a</sup> oE<sup>a</sup>EA<sup>a</sup> a<sup>a</sup>IA<sup>a</sup>wAIA<sup>a</sup>EB<sup>a</sup>          ASAC<sup>a</sup>v<sup>a</sup>ZA PIZ<sup>a</sup>ij -AAZA          Yb<sup>a</sup>IA<sup>a</sup>S<sup>a</sup>oAZAVZE</p>
18	<p>P: JZirJA<sup>a</sup>1/63/03/2016-17          CEAAPA 23-09-2016          eA<sup>a</sup>gAvA<sup>a</sup> AS<sup>a</sup>i 67,          CEAAPA 22-09-2016</p>	-	<p>03-11-16          Ae<sup>a</sup>f 4-00          g<sup>a</sup>ME<sup>a</sup>UE<sup>a</sup></p>	<p>579.78  <sup>a</sup>PA<sup>a</sup></p>	<p>PWD/ CPWD/ HDMC/ Ev<sup>a</sup>g<sup>a</sup>          PA<sup>a</sup>oj E-ASAI<sup>a</sup>o<sup>e</sup> EKEAZA          -AV<sup>a</sup>g<sup>a</sup>ZA 1EA<sup>a</sup> zE<sup>a</sup>o UAWUEZAG<sup>a</sup>          E-YBE<sup>a</sup>g<sup>a</sup>PA<sup>a</sup>mi<sup>a</sup> YA<sup>a</sup>EA<sup>a</sup>o<sup>e</sup>          a<sup>a</sup>ASAAV<sup>a</sup>g<sup>a</sup> 2015-16EA<sup>a</sup> A<sup>a</sup>EA          PA<sup>a</sup>U<sup>a</sup>be a<sup>a</sup>AE<sup>a</sup>MEV<sup>a</sup> C<sup>a</sup>o<sup>a</sup>o<sup>a</sup>          PAAI<sup>a</sup>o ZA A<sup>a</sup>hPUAV<sup>a</sup> g<sup>a</sup>ME.          100.00 P<sup>a</sup>EA<sup>a</sup>n CEAZAEZA-AIA<sup>a</sup>o<sup>e</sup>          EAq<sup>a</sup>Ami EA.45935, 46043,          45939, 45936, 46010, 45938          MI AO 6 YA<sup>a</sup>PA<sup>a</sup>ei PA<sup>a</sup>NUAJ UMA          PA<sup>a</sup>jvA<sup>a</sup> E-mAq<sup>a</sup>g<sup>a</sup> CC<sup>a</sup>MEZE<sup>a</sup>E<sup>a</sup>          oEg<sup>a</sup>g<sup>a</sup>g<sup>a</sup>vA<sup>a</sup>g<sup>a</sup>e<sup>a</sup> F PA<sup>a</sup>jvA<sup>a</sup> oE<sup>a</sup>EA<sup>a</sup>          a<sup>a</sup>IA<sup>a</sup>wAIA<sup>a</sup>EB<sup>a</sup> ASAC<sup>a</sup>v<sup>a</sup>ZA          PIZ<sup>a</sup>ij -AAZA Yb<sup>a</sup>IA<sup>a</sup>S<sup>a</sup>oAZAVZE</p>
<p>mAq<sup>a</sup>g<sup>a</sup>PA<sup>a</sup>IA<sup>a</sup>AA<sup>a</sup>AC<sup>a</sup>PA<sup>a</sup>J UMA : CC<sup>a</sup>PPA C<sup>a</sup>o<sup>a</sup>IA<sup>a</sup>AV<sup>a</sup>g<sup>a</sup>g<sup>a</sup>, oAS<sup>a</sup>z<sup>a</sup>-ZAG<sup>a</sup>PA<sup>a</sup>QA<sup>a</sup> a<sup>a</sup>oAEU<sup>a</sup>g<sup>a</sup>YA<sup>a</sup>o<sup>e</sup> ZAG<sup>a</sup>PA<sup>a</sup>QA<sup>a</sup></p>					

DATAPIHA, °ASZI-ZAGP AQA EUBA°P ICP YAGPAGA °ASZI					
19	P : °AZAEMAE. </m/A.EEA.04/ 2016-17, Ç EÁAPÁ 22-09-2016	-	05-10-16 Aef 4-30 gP hUE	-	KEAPEAYATKEAV E ASATA°e EKEAZÁ-ÁVgAZÁ C°D 1«-i UÁWUEZAgj AZÁ E- ¥EPEEgP BAI °AASAAvbA MI ÁD 03 ««ZÁ PÁ°AUJ UMA PAJ VA C-ÁP Kú mAqgA ¥Bé UE °EgH-1gÁVÁgE F PAJ VA °EAE °AA»wAIAEAB ,ASAÇi ZA PZAJ -AAZA ¥bÁiÁ°ÁzÁVzE
mAcgA PjAIAA°A CÇPAJ UMA : DATAPIHA, °ASZI-ZAGP AQA EUBA°P ICP YAGPAGA °ASZI					
°PÁ AU°PA ±ZÁD±PjA, PEAOI PA PE°AUA C°P ICP ±UP°A ±AIA«AVA °ASZI					
20	Pi : PPEC±/JAr/JA(!)/ 2016-17/1932, Ç EÁAPÁ 17-09-2016	-	03-10-16 Aef 5-00 gP hUE	11.12 °PÁ	¥ADAUi °Anj AiÁ-i vAIAgPA j AZICCPMA «vGj P AZA °MEgÁ wAUKA C°KUE ««ZÁ EPEEEAIA ¥ADAUi °Anj AiÁ-i jSgÁF UÁV E- ¥EPEEgP BAmi ¥Aómi ¥AgA °ME°PA ¥ADAUi °Anj AiÁ-i jSgÁFUÉ C-ÁP Kú E-mAcgA ¥Bé UE °EgH-1gÁVÁgE F PAJ VA °EAE °AA»wAIAEAB ,ASAÇi ZA PZAJ -AAZA ¥bÁiÁ°ÁzÁVzE
mAcgA PjAIAA°A CÇPAJ UMA : °PÁ AU°PA ±ZÁD±PjA, PEAOI PA PE°AUA C°P ICP ±UP°A ±AIA«AVA °ASZI					
PAAtÁD±A°D°PA EAF±AAtAgbA, KEAPEAYATKEAV, SAZgA °AVUMVÁEAgA d° AJ UE E ASZ ZAGP AQA « AUÁ ZAGP Aq					
21	P : PA±EAZA/!°-3/4059 EÁAiÁAAUImAcgA 2016-17/3877, Ç EÁAPÁ 19-09-2016	-	20-10-16	2426.13 °PÁ	EKEAZÁ-ÁVA C°D UÁWUEZAgA j AZÁ E-¥EPEEgP BAI °AASAAvbA -PA ZATjÖPE 4059 EÁAiÁ°AiÁ PA ÇUÁKA Cr Package of 1: 1)Construction of internal concrete road, 2) Providing landscaping in the premises New Court Complex Building.3) Providing False ceiling to court halls in Judges cambers corridors office rooms wall paneling in Court hall Judges cambers and Providing capsule Lifts 4) Providing fire protection works 5) Providing and installation of DG set and UPS 6) Providing and installation of CCTV and Access control system 7) Providing and installation of Lighting management system(LMS) 8) Providing and installation of Building management system(BMS) 9)

					<p>Providing and installation of Heating ventilation air conditioning(HVAC)to the new court complex building at HUBBALLI KPWD/2016-17/BD/WORK_INDENT59919 –          PÁ<sup>a</sup>ÁUÁj PÁj vÁ E-          ¥E<del>BE</del>EgP ÁAI mÁqÁj ¥B<del>BE</del> uÉ          °Egr<sup>1</sup>gÁvÁÁgÉ F PÁj vÁ          °EÁEÁ<sup>a</sup>ÁA»wÁiÁEAB          .ÁŞÁÇí zÁ PÁZÁj -AAZA          ¥bÁiÁŞ°ÁzÁVzÉ</p>
22	<p>Pi :PÁ<sup>a</sup>EAZA/ ; ©-3/UAWUW          2016-17/3976,          Ç ÉÁAPÁ 21-09-2016</p>	-	05-10-16	500.00 ©PÁ	<p>KEAPKEA¥ÁIÁEAV, ŞAZGA          aAvAU M¼EAqA d@_Aj UE          E-ASAiÁ°è C°D UAWUEZAgA          jAzÁ E-¥E<del>BE</del>EgP ÁAmi          aÁÁSÁAvÁgÁ EÁ'ÁqD          Dgi.L.r.J¥i.20 gr MAZA          PÁ<sup>a</sup>ÁUÁj, EÁ'ÁqD          Dgi.L.r.J¥i. 22 gr JgÁqA          PÁ<sup>a</sup>ÁUÁj UÁEAB »AUE MI ÁO 03          PÁ<sup>a</sup>ÁUÁj UÁÁ PÁj vÁ E-          ¥E<del>BE</del>EgP ÁAI mÁqÁj ¥B<del>BE</del> uÉ          °Egr<sup>1</sup>gÁvÁÁgÉ F PÁj vÁ          °EÁEÁ<sup>a</sup>ÁA»wÁiÁEAB          .ÁŞÁÇí zÁ PÁZÁj -AAZA          ¥bÁiÁŞ°ÁzÁVzÉ</p>
23	<p>Pi :PÁ<sup>a</sup>EAZA/ ; ©-1/UAWUW          2016-17/3938,          Ç ÉÁAPÁ 20-09-2016</p>	-	03-10-16	20.00 ©PÁ	<p>KEAPKEA¥ÁIÁEAV, ŞAZGA          aAvAU M¼EAqA d@_Aj UE          E-ASAiÁ°è C°D UAWUEZAgA          jAzÁ E-¥E<del>BE</del>EgP ÁAmi          aÁÁSÁAvÁgÁ H/A 2059-80-053-          1-11-200 Repairs Cr Repairs          to city survey office Situated in          the premises of Land Record          Office, and Providing roof and          Other repair works @          2059/2016-17 dharwad KPWD          /2016-17/BD/ WORK_ INDENT          59582 PÁ<sup>a</sup>ÁUÁj PÁj vÁ E-          ¥E<del>BE</del>EgP ÁAI mÁqÁj ¥B<del>BE</del> uÉ          °Egr<sup>1</sup>gÁvÁÁgÉ F PÁj vÁ          °EÁEÁ<sup>a</sup>ÁA»wÁiÁEAB          .ÁŞÁÇí zÁ PÁZÁj -AAZA          ¥bÁiÁŞ°ÁzÁVzÉ</p>



24	P:PAEAZA/1-1/UWUW 2016-17/3870, CEAAPA 19-09-2016	-	03-10-16	38.00 @PA	<p>WEAPEYAIPEAV, SAZHA ANAVU MWEAQA dAjUE E-ASAI e CUB UWUZAga jAZA E-YEBEgP AMI ASAAVbA 2016-17 EA A EA 8443 oAaAa AwPE Cr Developmental works in Karnataka State Seed Certification agency 1)Farm Road WINO-52879, 2)Pig proof Fencing WINo52876, 3)Ground Level Water storage tank WINo-52877,4)Land Leveling WINo-52878 &amp; 5)Guard sample storage room WINo:52880 KPWD/2016-17/OW/ WORK INDENT59231 PAAUJ Pj VA E-YEBEgP BAI mAqba YBa ue Egr gAvAgE F Pj VA oAaA ANAVUASACUA PIZAj-AAZA YbAIA S OAZAVZE</p>
25	P:PAEAZA/1-2/UWUW 2016-17/3905, CEAAPA 20-09-2016	-	13-10-16	5.00 @PA	<p>EKAAZA-AI ZA CUB 3EA zeb OAUKE ANA O UWUZE ZAgj AZA PAV V VAEP 2016-17 EA A EA PA ZAJOPe 8443 oAaAa AwPE Cr PAV V VAEOEA AgP ki UAZAZA Ze EPAAVA ZA AIEZA PA bA ANA Ot PAAUJ C-APku mAqba YBa ue Egr gAvAgE F Pj VA oAaA ANAVUASACUA PIZAj-AAZA YbAIA S OAZAVZE</p>
26	P:PAEAZA/1-2/UWUW 2016-17/3940, CEAAPA 20-09-2016	-	14-10-16	-	<p>EASAI e EKAAZA-AI ZA CUB 3EA zeb OAUKE ANA O UWUZEAgj AZA 2016-17 EA A EA PA ZAJOPe 3054 AIEAdEAvbA gAda eAj AvAe ANOUE Cr 02 PAAUJ, 2016-17 EA A EA PA ZAJOPe 3054 AIEAdEAvbA f-Ae ANRa gA UMA ANOUE Cr 05 PAAUJ, 2016-17 EA A EA PA ZAJOPe 2059 AIEAdEAvbA Cr 05 PAAUJ OAUKE 2016-17 EA A EA PA ZAJOPe 2216 AIEAdEAvbA Cr 01 PAAUJ, AUe MI AO 13 PAAUJ Uka Pj VA C-APku mAqba YBa ue Egr gAvAgE F Pj VA oAaA ANAVUASACUA PIZAj-AAZA YbAIA S OAZAVZE</p>

27	P: PA <sup>α</sup> EAZAV/  <sup>©</sup> -2/UAWUY 2016-17/3974, Φ ΕΑΠΑ 21-09-2016	-	14-10-16	-	E <sup>-</sup> ASAIA <sup>°</sup> e EPEAAZA-A <sup>1</sup> ZA C <sup>°</sup> D 3EÄ <sup>α</sup> AVAU 4EA zleD <sup>°</sup> OAUKE <sup>α</sup> ÄÄ <sup>°</sup> Ä 0 UAWUEZAgj AZA 2016-17 EÄ <sup>°</sup> A <sup>°</sup> EA -PA ZÄQJÖPE 3054 AiPEÄdEÄvbjÄ gÄdÄ <sup>°</sup> EÄJ gÄ UÄÄ <sup>α</sup> Ä <sup>°</sup> D <sup>°</sup> UÉ Cr 02 PÄ <sup>α</sup> AUÄj, 2016-17 EÄ <sup>°</sup> A <sup>°</sup> EA -PA ZÄQJÖPE 3054 AiPEÄdEÄvbjÄ gÄdÄ <sup>°</sup> EÄJ <sup>°</sup> ÄVÄ <sup>α</sup> E <sup>α</sup> Ä <sup>°</sup> D <sup>°</sup> UÉ Cr 02 PÄ <sup>α</sup> AUÄj, 2016-17 EÄ <sup>°</sup> A <sup>°</sup> EA -PA ZÄQJÖPE 3054 AiPEÄdEÄvbjÄ f <sup>-</sup> Äe <sup>α</sup> ÄÄRÄ gÄ UÄÄ <sup>α</sup> Ä <sup>°</sup> D <sup>°</sup> UÉ Cr 04 PÄ <sup>α</sup> AUÄj <sup>°</sup> AUKE 2016-17 EA <sup>°</sup> A <sup>°</sup> EA -PA ZÄQJÖPE 2059 AiPEÄdEÄvbjÄ Cr 01 PÄ <sup>α</sup> AUÄj, »ÄUE MI ÄO 09 PÄ <sup>α</sup> AUÄj UÄÄ PÄj vÄ C <sup>-</sup> Ä <sup>α</sup> Ä <sup>°</sup> ü mÄqbjÄ <del>¥BÄ</del> uÉ <sup>°</sup> Egr <sup>1</sup> gÄvÄbjÉ F PÄj vÄ <sup>°</sup> ÄÄEA <sup>α</sup> ÄÄ»wÄÄEÄB <sup>°</sup> ÄSÄC <sup>ü</sup> zÄ PZÄj -ÄAZÄ <del>¥bjÄÄS<sup>°</sup>ÄzÄVzÉ</del>
28	P: PA <sup>α</sup> EAZAV/  <sup>©</sup> -1/UAWUY 2016-17/3812, Φ ΕΑΠΑ 17-09-2016	-	03-10-16	-	KEAPEÄ <del>¥ÄÄEÄV</del> , SAZbjÄ <sup>α</sup> ÄVÄU M <sup>1/4</sup> EÄqÄ d <sup>°</sup> Äj uÉ E <sup>-</sup> ASAIA <sup>°</sup> e EPEAAZA-ÄVÄ UAWUEZAgj AZÄ E- <del>¥PEBÄEgÄ</del> <sup>α</sup> ÄÄmi <sup>α</sup> ÄSÄAVbjÄ H/A 2059- 80-053-4-00-200 (Non Plan) Cr 06 PÄ <sup>α</sup> AUÄj UÄÄ <sup>°</sup> AUKE H/A 2216-01-700-3-01-200 (Non Plan) Cr 03 PÄ <sup>α</sup> AUÄj UÄÄ »ÄUE MI ÄO 09 PÄ <sup>α</sup> AUÄj UÄÄ PÄj vÄ E- <del>¥PEBÄEgÄ</del> <sup>α</sup> ÄÄmi mÄqbjÄ <del>¥BÄ</del> uÉ <sup>°</sup> Egr <sup>1</sup> gÄvÄbjÉ F PÄj vÄ <sup>°</sup> ÄÄEA <sup>α</sup> ÄÄ»wÄÄEÄB <sup>°</sup> ÄSÄC <sup>ü</sup> zÄ PZÄj -ÄAZÄ <del>¥bjÄÄS<sup>°</sup>ÄzÄVzÉ</del>
29	P: PA <sup>α</sup> EAZAV/  <sup>©</sup> -2/UAWUY 2016-17/4047, Φ ΕΑΠΑ 23-09-2016	-	14-10-16	-	E <sup>-</sup> ASAIA <sup>°</sup> e EPEAAZA-A <sup>1</sup> ZA C <sup>°</sup> D 3EA zleD <sup>°</sup> OAUKE <sup>α</sup> ÄÄ <sup>°</sup> Ä 0 UAWUEZAgj AZA 2016-17 EA <sup>°</sup> A <sup>°</sup> EA -PA ZÄQJÖPE 2059 -20 -053 -4- 00-200 AiPEÄdEÄvbjÄ Cr 06 PÄ <sup>α</sup> AUÄj, 2016-17 EA <sup>°</sup> A <sup>°</sup> EA -PA ZÄQJÖPE 2216- 01- 700- 3-01 -200 AiPEÄdEÄvbjÄ Cr 05 PÄ <sup>α</sup> AUÄj »ÄUE MI ÄO 11 PÄ <sup>α</sup> AUÄj UÄÄ PÄj vÄ C <sup>-</sup> Ä <sup>α</sup> Ä <sup>°</sup> ü mÄqbjÄ <del>¥BÄ</del> uÉ <sup>°</sup> Egr <sup>1</sup> gÄvÄbjÉ F PÄj vÄ <sup>°</sup> ÄÄEA <sup>α</sup> ÄÄ»wÄÄEÄB <sup>°</sup> ÄSÄC <sup>ü</sup> zÄ PZÄj -ÄAZÄ <del>¥bjÄÄS<sup>°</sup>ÄzÄVzÉ</del>
mÄqbjÄ PÄjÄÄÄ <sup>α</sup> Ä C <sup>°</sup> PÄj UÄÄ : PÄÄÄO <sup>α</sup> Ä <sup>°</sup> Ä <sup>°</sup> Ä PÄ EÄF <sup>α</sup> ÄÄÄgÄÄ, KEAPEÄ <del>¥ÄÄEÄV</del> , SAZbjÄ <sup>α</sup> ÄVÄU M <sup>1/4</sup> EÄqÄ d <sup>°</sup> <sup>°</sup> Äj uÉ E <sup>-</sup> ÄS <sup>°</sup> Ä zÄgÄ <sup>°</sup> ÄqÄ « <sup>°</sup> ÄUÄ zÄgÄ <sup>°</sup> ÄqÄ					



AU-2 TAPA MAQJUMA		
C. EA.	maqja ybe ut ASI a AVAU CEAAPA	PE, ZA o E GA maqja M; UATAZA UAWUZAgga o E GA
- AIAA AZA Ega AK®e -		
AU-3 wga IVA MAQJUMA		
C. EA.	maqja ybe ut ASI CEAAP	PE, ZA o E GA a E VI
- AIAA AZA Ega AK®e -		

» DVZÉ  
 f AC PAJ UAM  
 a AVAF - AemEQAS - E E AC PAJ UAM  
 zAgAqAF - E zAgAqA